

***Clostridioides difficile***  
**infection, *Escherichia coli***  
**bacteraemia,**  
***Staphylococcus aureus***  
**bacteraemia and Surgical**  
**Site Infection in Scotland**

**April to June 2024**

Publication date: 1<sup>st</sup> October 2024

## This is an Official Statistics Publication

**The Official Statistics (Scotland) Order 2008** authorises NHS National Services Scotland (the legal name being the Common Services Agency for the Scottish Health Service) to produce official statistics.

All official statistics should comply with the UK Statistics Authority's Code of Practice which promotes the production and dissemination of official statistics that inform decision making. They can be formally assessed by the UK Statistics Authority's regulatory arm for National Statistics status.

Our statistical practice is regulated by the Office for Statistics Regulation (OSR). OSR sets the standards of trustworthiness, quality and value in the **Code of Practice for Statistics** that all producers of official statistics should adhere to. You are welcome to contact us directly with any comments about how we meet these standards.

Alternatively, you can contact OSR by emailing [regulation@statistics.gov.uk](mailto:regulation@statistics.gov.uk) or via the **OSR website**.

Find out more about the Code of Practice [here](#).

Find out more about official statistics [here](#).

## Contents

Introduction	4
Main Points	5
Results and Commentary	7
<i>Clostridioides difficile</i> infection (CDI)	7
<i>Escherichia coli</i> bacteraemia (ECB)	15
<i>Staphylococcus aureus</i> bacteraemia (SAB)	22
Surgical Site Infection (SSI)	29
List of Tables	30
Contact	31
Further Information	31
Rate this publication	31
Appendices	32
Appendix 1 – Background information	32
Revisions to the surveillance	32
Report methods and caveats	35
UK comparisons	35
Key to NHS boards	36
Appendix 2 – Publication Metadata	37
Appendix 3 – Early access details	49
Appendix 4 – ARHAI Scotland and Official Statistics	50

### Introduction

Antimicrobial Resistance and Healthcare Associated Infection (ARHAI) Scotland provides a commentary on quarterly epidemiological data in Scotland for April to June (Q2) 2024 on the following:

- *Clostridioides difficile* infection
- *Escherichia coli* bacteraemia
- *Staphylococcus aureus* bacteraemia
- Surgical Site Infection

Data are provided for the 14 NHS boards and one NHS Special Health Board.

## Main Points

### ***Clostridioides difficile* infection (CDI) during April to June 2024**

- The total number of CDI cases in patients reported to ARHAI was 360.
- 264 CDI cases were reported to ARHAI as healthcare associated. This corresponds to an incidence rate of 17.0 cases per 100,000 total occupied bed days (TOBDs).
- 96 CDI cases were reported as community associated. This corresponds to an incidence rate of 7.1 cases per 100,000 population.
- No NHS boards were above the 95% confidence interval upper limit for healthcare associated CDI in the funnel plot analysis.
- No NHS boards were above the 95% confidence interval upper limit for community associated CDI in the funnel plot analysis.
- No NHS boards were above normal variation for healthcare associated CDI when analysing trends over the past three years.
- NHS Fife and NHSScotland were above normal variation for community associated CDI when analysing trends over the past three years.

### ***Escherichia coli* bacteraemia (ECB) during April to June 2024**

- The total number of ECB cases in patients reported to ARHAI was 1,104.
- 614 ECB cases were reported to ARHAI as healthcare associated. This corresponds to an incidence rate of 39.4 cases per 100,000 TOBDs.
- 490 ECB cases were reported as community associated. This corresponds to an incidence rate of 36.2 cases per 100,000 population.
- NHS Tayside were above the 95% confidence interval upper limit for healthcare associated ECB in the funnel plot analysis.

- NHS Ayrshire & Arran were above the 95% confidence interval upper limit for community associated ECB in the funnel plot analysis.
- No NHS boards were above normal variation for healthcare or community associated ECB when analysing trends over the past three years.

### ***Staphylococcus aureus* bacteraemia (SAB) during April to June 2024**

- The total number of SAB cases in patients reported to ARHAI was 406.
- 270 SAB cases were reported to ARHAI as healthcare associated. This corresponds to an incidence rate of 17.3 cases per 100,000 TOBDs.
- 136 SAB cases were reported as community associated. This corresponds to an incidence rate of 10.0 cases per 100,000 population.
- No NHS boards were above the 95% confidence interval upper limit for community or healthcare associated SAB in the funnel plot analysis.
- No NHS boards were above normal variation for healthcare or community associated SAB when analysing trends over the past three years.

### **Surgical Site Infection (SSI) during April to June 2024**

Epidemiological data for SSI are not included for this quarter. National mandatory SSI surveillance was paused in 2020 to support the COVID-19 response and has not yet resumed.

## Results and Commentary

### *Clostridioides difficile* infection (CDI)

#### Total cases for quarter

- During Q2 2024, 360 *Clostridioides difficile* infection (CDI) cases in patients were reported to ARHAI. In the previous quarter there were 295 cases.
- In the clinical surveillance typing scheme (covering severe cases and/or outbreaks), out of a total of 64 isolates, ribotypes 002 and 005 (10.9%) were the most common ribotypes identified, followed by ribotypes 015 (9.4%), 014 and 078 (7.8%), 023 (6.3%), 137 (4.7%), and 013, 018, 020, 029, 050, 056, 087 and 106 (all 3.1%). The remaining 17.2% of isolates comprised a mixture of ribotypes, each with a prevalence of less than 3%.
- In the snapshot surveillance (which reflects the general distribution of ribotypes among CDI cases across Scotland), out of a total of 103 isolates, ribotype 023 (15.5%) was the most common ribotype identified, followed by ribotypes 005 (12.6%), 002 (11.7%), 015 (9.7%), 014 (7.8%), 106 (5.8%), and 020, 050 and 078 (all 4.9%). The remaining 22.3% of isolates comprised a mixture of ribotypes, each with a prevalence of less than 3%.
- All isolates tested (clinical and snapshot) were susceptible to metronidazole and vancomycin.

#### Healthcare associated infection cases by NHS board where specimen taken

- During Q2 2024, 264 CDI cases were reported to ARHAI as healthcare associated. This corresponds to an incidence rate of 17.0 cases per 100,000 total occupied bed days (TOBDs) (**Table 1**).
- Yearly trends (comparing year-ending June 2023 with year-ending June 2024) show that there was an increase in NHS Shetland and a decrease in NHS Fife (**Table 2**).
- No NHS boards were above the 95% confidence interval upper limit in the funnel plot analysis (**Figure 1**).

- No NHS boards were above normal variation when analysing trends over the past three years (see [supplementary data](#)).

### Community associated infection cases by NHS board of residence

- During Q2 2024, 96 CDI cases were reported as community associated. This corresponds to an incidence rate of 7.1 cases per 100,000 population. ([Table 3](#)).
- Yearly trends (comparing year-ending June 2023 with year-ending June 2024) show that there were increases in NHS Fife, NHS Lothian and Scotland overall ([Table 4](#)).
- No NHS boards were above the 95% confidence interval upper limit in the funnel plot analysis ([Figure 2](#)).
- NHS Fife and NHSScotland were above normal variation when analysing trends over the past three years (see [supplementary data](#)).



**Table 1: CDI cases and incidence rates (per 100,000 TOBDs) for healthcare associated infection cases: Q1 2024 (January to March 2024) compared to Q2 2024 (April to June 2024).<sup>1, 2, 3</sup>**

NHS board	Q1 Cases	Q1 Bed Days	Q1 Rate	Q2 Cases	Q2 Bed Days	Q2 Rate
AA	18	115,754	15.6	25	113,391	22.0
BR	4	32,575	12.3	3	32,316	9.3
DG	8	46,826	17.1	8	46,741	17.1
FF	4	91,157	4.4	8	87,541	9.1
FV	10	80,573	12.4	17	77,918	21.8
GJ	0	13,449	0.0	2	15,094	13.3
GR	14	138,503	10.1	15	138,962	10.8
GGC	57	457,584	12.5	82	446,145	18.4
HG	20	81,678	24.5	20	79,823	25.1
LN	28	155,401	18.0	36	153,774	23.4
LO	29	243,801	11.9	39	238,465	16.4
OR	0	2,994	0.0	0	3,134	0.0
SH	3	2,362	127.0	1	2,439	41.0
TY	6	120,867	5.0	8	114,763	7.0
WI	0	7,187	0.0	0	6,569	0.0
<b>Scotland</b>	<b>201</b>	<b>1,590,711</b>	<b>12.6</b>	<b>264</b>	<b>1,557,075</b>	<b>↑ 17.0</b>

1. An arrow denotes statistically significant change.

2. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Public Health Scotland ISD(S)1.

3. Figures include any updates received following the last publication (see Appendix 2).

**Table 2: CDI cases and incidence rates (per 100,000 TOBDs) for healthcare associated infection cases: year-ending June 2023 (YE Q2 23) compared to year-ending June 2024 (YE Q2 24).<sup>1, 2, 3</sup>**

NHS board	YE Q2 23 Cases	YE Q2 23 Bed Days	YE Q2 23 Rate	YE Q2 24 Cases	YE Q2 24 Bed Days	YE Q2 24 Rate
AA	70	469,560	14.9	78	460,523	16.9
BR	10	127,495	7.8	15	129,804	11.6
DG	24	184,689	13.0	36	186,019	19.4
FF	44	359,690	12.2	18	356,048	↓ 5.1
FV	55	310,418	17.7	46	311,356	14.8
GJ	4	52,121	7.7	3	54,809	5.5
GR	48	532,233	9.0	57	544,451	10.5
GGC	238	1,775,666	13.4	264	1,794,935	14.7
HG	68	303,718	22.4	81	316,201	25.6
LN	122	601,884	20.3	121	614,824	19.7
LO	120	980,283	12.2	143	961,013	14.9
OR	3	13,312	22.5	1	12,886	7.8
SH	1	10,164	9.8	9	9,622	↑ 93.5
TY	61	482,652	12.6	53	472,923	11.2
WI	1	24,482	4.1	2	26,304	7.6
<b>Scotland</b>	<b>869</b>	<b>6,228,367</b>	<b>14.0</b>	<b>927</b>	<b>6,251,718</b>	<b>14.8</b>

1. An arrow denotes statistically significant change.
2. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Public Health Scotland ISD(S)1.
3. Figures include any updates received following the last publication (see Appendix 2).

**Table 3: CDI cases and incidence rates (per 100,000 population) for community associated infection cases: Q1 2024 (January to March 2024) compared to Q2 2024 (April to June 2024).<sup>1, 2, 3, 4</sup>**

NHS board	Q1 Cases	Q1 Population	Q1 Rate	Q2 Cases	Q2 Population	Q2 Rate
AA	7	365,440	7.7	9	365,440	9.9
BR	0	116,820	0.0	1	116,820	3.4
DG	6	145,770	16.6	2	145,770	5.5
FF	4	371,340	4.3	12	371,340	13.0
FV	0	302,730	0.0	3	302,730	4.0
GR	10	582,220	6.9	8	582,220	5.5
GGC	19	1,179,910	6.5	15	1,179,910	5.1
HG	14	323,630	17.4	4	323,630	5.0
LN	7	668,360	4.2	9	668,360	5.4
LO	23	906,190	10.2	23	906,190	10.2
OR	1	22,020	18.3	0	22,020	0.0
SH	0	23,020	0.0	1	23,020	17.5
TY	3	414,130	2.9	7	414,130	6.8
WI	0	26,120	0.0	2	26,120	30.8
<b>Scotland</b>	<b>94</b>	<b>5,447,700</b>	<b>6.9</b>	<b>96</b>	<b>5,447,700</b>	<b>7.1</b>


1. An arrow denotes statistically significant change.
2. Quarterly population rates are based on an annualised population.
3. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & National Records of Scotland (NRS) mid-year population estimates.
4. Figures include any updates received following the last publication (see Appendix 2).

**Table 4: CDI cases and incidence rates (per 100,000 population) for community associated infection cases: year-ending June 2023 (YE Q2 23) compared to year-ending June 2024 (YE Q2 24).<sup>1, 2, 3</sup>**

NHS board	YE Q2 23 Cases	YE Q2 23 Population	YE Q2 23 Rate	YE Q2 24 Cases	YE Q2 24 Population	YE Q2 24 Rate
AA	26	365,440	7.1	30	365,440	8.2
BR	5	116,820	4.3	3	116,820	2.6
DG	13	145,770	8.9	17	145,770	11.7
FF	10	371,340	2.7	24	371,340	↑ 6.5
FV	2	302,730	0.7	7	302,730	2.3
GR	25	582,220	4.3	33	582,220	5.7
GGC	46	1,179,910	3.9	64	1,179,910	5.4
HG	29	323,630	9.0	28	323,630	8.7
LN	25	668,360	3.7	40	668,360	6.0
LO	48	906,190	5.3	79	906,190	↑ 8.7
OR	0	22,020	0.0	1	22,020	4.5
SH	2	23,020	8.7	1	23,020	4.3
TY	20	414,130	4.8	22	414,130	5.3
WI	2	26,120	7.7	6	26,120	23.0
<b>Scotland</b>	<b>253</b>	<b>5,447,700</b>	<b>4.6</b>	<b>355</b>	<b>5,447,700</b>	<b>↑ 6.5</b>


1. An arrow denotes statistically significant change.
2. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & National Records of Scotland (NRS) mid-year population estimates.
3. Figures include any updates received following the last publication (see Appendix 2).

**Figure 1: Funnel plot of CDI incidence rates (per 100,000 TOBD) in healthcare associated infection cases for all NHS boards in Scotland in Q2 2024.**<sup>1, 2, 3</sup>



1. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Public Health Scotland ISD(S)1.
2. NHS Orkney and NHS Western Isles overlap.
3. NHS boards above the 95% confidence interval upper limit are highlighted in red.

**Figure 2: Funnel plot of CDI incidence rates (per 100,000 population) in community associated infection cases for all NHS boards in Scotland in Q2 2024.<sup>1, 2</sup>**



1. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & National Records of Scotland (NRS) mid-year population estimates.
2. NHS boards above the 95% confidence interval upper limit are highlighted in red.

## ***Escherichia coli* bacteraemia (ECB)**

### **Total Cases for Quarter**

- During Q2 2024, 1,104 *Escherichia coli* bacteraemia (ECB) cases in patients were reported to ARHAI. In the previous quarter there were 1,069 cases.

### **Healthcare associated infection cases by NHS board where specimen taken**

- During Q2 2024, 614 ECB cases were reported to ARHAI as healthcare associated. This corresponds to an incidence rate of 39.4 cases per 100,000 TOBDs (**Table 5**).
- Yearly trends (comparing year-ending June 2023 with year-ending June 2024) show that there was an increase in NHS Ayrshire & Arran and NHS Fife (**Table 6**).
- NHS Tayside were above the 95% confidence interval upper limit for ECB in the funnel plot analysis (**Figure 3**).
- No NHS boards were above normal variation when analysing trends over the past three years (see **supplementary data**).

### **Community associated infection cases by NHS board of residence**

- During Q2 2024, 490 ECB cases were reported as community associated. This corresponds to an incidence rate of 36.2 cases per 100,000 population (**Table 7**).
- Yearly trends (comparing year-ending June 2023 with year-ending June 2024) show there was an increase in NHS Tayside and a decrease in NHS Lanarkshire (**Table 8**).
- NHS Ayrshire & Arran was above the 95% confidence interval upper limit in the funnel plot analysis (**Figure 4**).
- No NHS boards were above normal variation when analysing trends over the past three years (see **supplementary data**).

**Table 5: ECB cases and incidence rates (per 100,000 TOBD) for healthcare associated infection cases: Q1 2024 (January to March 2024) compared to Q2 2024 (April to June 2024).<sup>1, 2, 3</sup>**

NHS board	Q1 Cases	Q1 Bed Days	Q1 Rate	Q2 Cases	Q2 Bed Days	Q2 Rate
AA	49	115,754	42.3	55	113,391	48.5
BR	11	32,575	33.8	18	32,316	55.7
DG	13	46,826	27.8	23	46,741	49.2
FF	38	91,157	41.7	45	87,541	51.4
FV	41	80,573	50.9	32	77,918	41.1
GJ	2	13,449	14.9	6	15,094	39.8
GR	44	138,503	31.8	59	138,962	42.5
GGC	144	457,584	31.5	157	446,145	35.2
HG	13	81,678	15.9	23	79,823	28.8
LN	62	155,401	39.9	57	153,774	37.1
LO	79	243,801	32.4	65	238,465	27.3
OR	2	2,994	66.8	3	3,134	95.7
SH	3	2,362	127.0	4	2,439	164.0
TY	59	120,867	48.8	62	114,763	54.0
WI	5	7,187	69.6	5	6,569	76.1
<b>Scotland</b>	<b>565</b>	<b>1,590,711</b>	<b>35.5</b>	<b>614</b>	<b>1,557,075</b>	<b>39.4</b>

1. An arrow denotes statistically significant change.

2. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Public Health Scotland ISD(S)1.

3. Figures include any updates received following the last publication (see Appendix 2).



**Table 6: ECB cases and incidence rates (per 100,000 TOBDs) for healthcare associated infection cases: year-ending June 2023 (YE Q2 23) compared to year-ending June 2024 (YE Q2 24).<sup>1, 2, 3</sup>**

NHS board	YE Q2 23 Cases	YE Q2 23 Bed days	YE Q2 23 Rate	YE Q2 24 Cases	YE Q2 24 Bed days	YE Q2 24 Rate
AA	171	469,560	36.4	213	460,523	↑ 46.3
BR	52	127,495	40.8	61	129,804	47.0
DG	78	184,689	42.2	71	186,019	38.2
FF	112	359,690	31.1	145	356,048	↑ 40.7
FV	166	310,418	53.5	139	311,356	44.6
GJ	10	52,121	19.2	11	54,809	20.1
GR	195	532,233	36.6	187	544,451	34.3
GGC	613	1,775,666	34.5	618	1,794,935	34.4
HG	64	303,718	21.1	80	316,201	25.3
LN	249	601,884	41.4	220	614,824	35.8
LO	296	980,283	30.2	292	961,013	30.4
OR	8	13,312	60.1	7	12,886	54.3
SH	8	10,164	78.7	9	9,622	93.5
TY	240	482,652	49.7	228	472,923	48.2
WI	16	24,482	65.4	22	26,304	83.6
<b>Scotland</b>	<b>2,278</b>	<b>6,228,367</b>	<b>36.6</b>	<b>2,303</b>	<b>6,251,718</b>	<b>36.8</b>

1. An arrow denotes statistically significant change.
2. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Public Health Scotland ISD(S)1.
3. Figures include any updates received following the last publication (see Appendix 2).

**Table 7: ECB cases and incidence rates (per 100,000 population) for community associated infection cases: Q1 2024 (January to March 2024) compared to Q2 2024 (April to June 2024).<sup>1, 2, 3, 4</sup>**

NHS board	Q1 Cases	Q1 Population	Q1 Rate	Q2 Cases	Q2 Population	Q2 Rate
AA	44	365,440	48.4	61	365,440	67.1
BR	12	116,820	41.3	13	116,820	44.8
DG	20	145,770	55.2	20	145,770	55.2
FF	29	371,340	31.4	32	371,340	34.7
FV	25	302,730	33.2	35	302,730	46.5
GR	48	582,220	33.2	39	582,220	26.9
GGC	92	1,179,910	31.4	93	1,179,910	31.7
HG	31	323,630	38.5	30	323,630	37.3
LN	80	668,360	48.1	69	668,360	41.5
LO	72	906,190	32.0	55	906,190	24.4
OR	0	22,020	0.0	1	22,020	18.3
SH	1	23,020	17.5	0	23,020	0.0
TY	48	414,130	46.6	42	414,130	40.8
WI	2	26,120	30.8	0	26,120	0.0
<b>Scotland</b>	<b>504</b>	<b>5,447,700</b>	<b>37.2</b>	<b>490</b>	<b>5,447,700</b>	<b>36.2</b>


1. An arrow denotes statistically significant change.
2. Quarterly population rates are based on an annualised population.
3. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & National Records of Scotland (NRS) mid-year population estimates.
4. Figures include any updates received following the last publication (see Appendix 2).

**Table 8: ECB cases and incidence rates (per 100,000 population) for community associated infection cases: year-ending June 2023 (YE Q2 23) compared to year-ending June 2024 (YE Q2 24).<sup>1, 2, 3</sup>**

NHS board	YE Q2 23 Cases	YE Q2 23 Population	YE Q2 23 Rate	YE Q2 24 Cases	YE Q2 24 Population	YE Q2 24 Rate
AA	177	365,440	48.4	200	365,440	54.7
BR	56	116,820	47.9	46	116,820	39.4
DG	93	145,770	63.8	75	145,770	51.5
FF	146	371,340	39.3	138	371,340	37.2
FV	99	302,730	32.7	117	302,730	38.6
GR	180	582,220	30.9	170	582,220	29.2
GGC	434	1,179,910	36.8	390	1,179,910	33.1
HG	120	323,630	37.1	135	323,630	41.7
LN	326	668,360	48.8	271	668,360	↓ 40.5
LO	283	906,190	31.2	272	906,190	30.0
OR	14	22,020	63.6	10	22,020	45.4
SH	6	23,020	26.1	3	23,020	13.0
TY	133	414,130	32.1	180	414,130	↑ 43.5
WI	4	26,120	15.3	4	26,120	15.3
<b>Scotland</b>	<b>2,071</b>	<b>5,447,700</b>	<b>38.0</b>	<b>2,011</b>	<b>5,447,700</b>	<b>36.9</b>


1. An arrow denotes statistically significant change.
2. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & National Records of Scotland (NRS) mid-year population estimates.
3. Figures include any updates received following the last publication (see Appendix 2).

**Figure 3: Funnel plot of ECB incidence rates (per 100,000 TOBD) in healthcare associated infection cases for all NHS boards in Scotland in Q2 2024.<sup>1, 2</sup>**



1. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Public Health Scotland ISD(S)1.
2. NHS boards above the 95% confidence interval upper limit are highlighted in red.

**Figure 4: Funnel plot of ECB incidence rates (per 100,000 population) in community associated infection cases for all NHS boards in Scotland in Q2 2024.<sup>1, 2, 3</sup>**



1. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & National Records of Scotland (NRS) mid-year population estimates.
2. NHS Orkney and NHS Western Isles overlap.
3. NHS boards above the 95% confidence interval upper limit are highlighted in red.

## ***Staphylococcus aureus* bacteraemia (SAB)**

### **Total cases for quarter**

- During Q2 2024, 406 *Staphylococcus aureus* bacteraemia (SAB) cases in patients were reported to ARHAI. In the previous quarter there were 419 SAB cases.

### **Healthcare associated infection cases by NHS board where specimen taken**

- During Q2 2024, 270 SAB cases were reported to ARHAI as healthcare associated. This corresponds to an incidence rate of 17.3 cases per 100,000 TOBDs (**Table 9**).
- Yearly trends (comparing year-ending June 2023 with year-ending June 2024) show there was an increase for NHS Lanarkshire. (**Table 10**).
- No NHS boards were above the 95% confidence interval upper limit in the funnel plot analysis (**Figure 5**).
- No NHS boards were above normal variation when analysing trends over the past three years (see **supplementary data**).

### **Community associated infection cases by NHS board of residence**

- During Q2 2024, 136 SAB cases were reported as community associated. This corresponds to an incidence rate of 10.0 cases per 100,000 population (**Table 11**).
- Yearly trends (comparing year-ending June 2023 with year-ending June 2024) show there was an increase for NHS Lanarkshire (**Table 12**).
- No NHS boards were above the 95% confidence interval upper limit in the funnel plot analysis (**Figure 6**).
- No NHS boards were above normal variation when analysing trends over the past three years (see **supplementary data**).

**Table 9: SAB cases and incidence rates (per 100,000 TOBDs) for healthcare associated infection cases: Q1 2024 (January to March 2024) compared to Q2 2024 (April to June 2024).<sup>1, 2, 3</sup>**

NHS board	Q1 Cases	Q1 Bed Days	Q1 Rate	Q2 Cases	Q2 Bed Days	Q2 Rate
AA	20	115,754	17.3	20	113,391	17.6
BR	2	32,575	6.1	6	32,316	18.6
DG	10	46,826	21.4	5	46,741	10.7
FF	12	91,157	13.2	18	87,541	20.6
FV	16	80,573	19.9	8	77,918	10.3
GJ	1	13,449	7.4	5	15,094	33.1
GR	32	138,503	23.1	21	138,962	15.1
GGC	67	457,584	14.6	83	446,145	18.6
HG	13	81,678	15.9	7	79,823	8.8
LN	32	155,401	20.6	32	153,774	20.8
LO	34	243,801	13.9	34	238,465	14.3
OR	0	2,994	0.0	0	3,134	0.0
SH	3	2,362	127.0	0	2,439	0.0
TY	28	120,867	23.2	29	114,763	25.3
WI	1	7,187	13.9	2	6,569	30.4
<b>Scotland</b>	<b>271</b>	<b>1,590,711</b>	<b>17.0</b>	<b>270</b>	<b>1,557,075</b>	<b>17.3</b>

1. An arrow denotes statistically significant change.
2. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Public Health Scotland ISD(S)1.
3. Figures include any updates received following the last publication (see Appendix 2).

**Table 10: SAB cases and incidence rates (per 100,000 TOBDs) for healthcare associated infection cases: year-ending June 2023 (YE Q2 23) compared to year-ending June 2024 (YE Q2 24).<sup>1, 2, 3</sup>**

NHS board	YE Q2 23 Cases	YE Q2 23 Bed days	YE Q2 23 Rate	YE Q2 24 Cases	YE Q2 24 Bed days	YE Q2 24 Rate
AA	93	469,560	19.8	81	460,523	17.6
BR	19	127,495	14.9	17	129,804	13.1
DG	30	184,689	16.2	37	186,019	19.9
FF	53	359,690	14.7	48	356,048	13.5
FV	47	310,418	15.1	51	311,356	16.4
GJ	12	52,121	23.0	9	54,809	16.4
GR	97	532,233	18.2	104	544,451	19.1
GGC	339	1,775,666	19.1	306	1,794,935	17.0
HG	48	303,718	15.8	43	316,201	13.6
LN	103	601,884	17.1	142	614,824	↑ 23.1
LO	161	980,283	16.4	156	961,013	16.2
OR	2	13,312	15.0	0	12,886	0.0
SH	6	10,164	59.0	7	9,622	72.7
TY	129	482,652	26.7	114	472,923	24.1
WI	10	24,482	40.8	5	26,304	19.0
<b>Scotland</b>	<b>1,149</b>	<b>6,228,367</b>	<b>18.4</b>	<b>1,120</b>	<b>6,251,718</b>	<b>17.9</b>

1. An arrow denotes statistically significant change.
2. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Public Health Scotland ISD(S)1.
3. Figures include any updates received following the last publication (see Appendix 2).



**Table 11: SAB cases and incidence rates (per 100,000 population) for community associated infection cases: Q1 2024 (January to March 2024) compared to Q2 2024 (April to June 2024).<sup>1, 2, 3, 4</sup>**

NHS board	Q1 Cases	Q1 Population	Q1 Rate	Q2 Cases	Q2 Population	Q2 Rate
AA	15	365,440	16.5	13	365,440	14.3
BR	7	116,820	24.1	4	116,820	13.8
DG	4	145,770	11.0	2	145,770	5.5
FF	13	371,340	14.1	8	371,340	8.7
FV	9	302,730	12.0	2	302,730	2.7
GR	21	582,220	14.5	15	582,220	10.4
GGC	24	1,179,910	8.2	20	1,179,910	6.8
HG	5	323,630	6.2	7	323,630	8.7
LN	15	668,360	9.0	24	668,360	14.4
LO	21	906,190	9.3	25	906,190	11.1
OR	0	22,020	0.0	1	22,020	18.3
SH	2	23,020	34.9	1	23,020	17.5
TY	12	414,130	11.7	14	414,130	13.6
WI	0	26,120	0.0	0	26,120	0.0
<b>Scotland</b>	<b>148</b>	<b>5,447,700</b>	<b>10.9</b>	<b>136</b>	<b>5,447,700</b>	<b>10.0</b>


1. An arrow denotes statistically significant change.
2. Quarterly population rates are based on an annualised population.
3. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & National Records of Scotland (NRS) mid-year population estimates.
4. Figures include any updates received following the last publication (see Appendix 2).

**Table 12: SAB cases and incidence rates (per 100,000 population) for community associated infection cases: year-ending June 2023 (YE Q2 23) compared to year-ending June 2024 (YE Q2 24).<sup>1, 2, 3</sup>**

NHS board	YE Q2 23 Cases	YE Q2 23 Population	YE Q2 23 Rate	YE Q2 24 Cases	YE Q2 24 Population	YE Q2 24 Rate
AA	61	365,440	16.7	53	365,440	14.5
BR	14	116,820	12.0	18	116,820	15.4
DG	20	145,770	13.7	15	145,770	10.3
FF	52	371,340	14.0	41	371,340	11.0
FV	28	302,730	9.2	31	302,730	10.2
GR	60	582,220	10.3	73	582,220	12.5
GGC	75	1,179,910	6.4	83	1,179,910	7.0
HG	30	323,630	9.3	28	323,630	8.7
LN	51	668,360	7.6	75	668,360	↑ 11.2
LO	84	906,190	9.3	88	906,190	9.7
OR	3	22,020	13.6	1	22,020	4.5
SH	4	23,020	17.4	9	23,020	39.1
TY	43	414,130	10.4	45	414,130	10.9
WI	0	26,120	0.0	1	26,120	3.8
<b>Scotland</b>	<b>525</b>	<b>5,447,700</b>	<b>9.6</b>	<b>561</b>	<b>5,447,700</b>	<b>10.3</b>


1. An arrow denotes statistically significant change.
2. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & National Records of Scotland (NRS) mid-year population estimates.
3. Figures include any updates received following the last publication (see Appendix 2).

**Figure 5: Funnel plot of SAB incidence rates (per 100,000 TOBD) in healthcare associated infection cases for all NHS boards in Scotland in Q2 2024.**<sup>1, 2, 3</sup>



1. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & Total occupied bed days: Public Health Scotland ISD(S)1.
2. NHS Orkney and NHS Shetland overlap.
3. NHS boards above the 95% confidence interval upper limit are highlighted in red.

**Figure 6: Funnel plot of SAB incidence rates (per 100,000 population) in community associated infection cases for all NHS boards in Scotland in Q2 2024.<sup>1, 2</sup>**



1. Source of data is Electronic Communication of Surveillance in Scotland (ECOSS) & National Records of Scotland (NRS) mid-year population estimates.
2. NHS boards above the 95% confidence interval upper limit are highlighted in red.

## **Surgical Site Infection (SSI)**

Epidemiological data for SSI are not included for this quarter. National mandatory SSI surveillance was paused in 2020 to support the COVID-19 response and has not yet resumed.

## List of Tables

Name	File and size
Table 1: CDI cases and incidence rates (per 100,000 TOBDs) for healthcare associated infection cases: Q1 2024 (January to March 2024) compared to Q2 2024 (April to June 2024).	supplementary data (517 Kb)
Table 2: CDI cases and incidence rates (per 100,000 TOBDs) for healthcare associated infection cases: year-ending June 2023 (YE Q2 23) compared to year-ending June 2024 (YE Q2 24).	supplementary data (517 Kb)
Table 3: CDI cases and incidence rates (per 100,000 population) for community associated infection cases: Q1 2024 (January to March 2024) compared to Q2 2024 (April to June 2024).	supplementary data (517 Kb)
Table 4: CDI cases and incidence rates (per 100,000 population) for community associated infection cases: year-ending June 2023 (YE Q2 23) compared to year-ending June 2024 (YE Q2 24).	supplementary data (517 Kb)
Table 5: ECB cases and incidence rates (per 100,000 TOBD) for healthcare associated infection cases: Q1 2024 (January to March 2024) compared to Q2 2024 (April to June 2024).	supplementary data (517 Kb)
Table 6: ECB cases and incidence rates (per 100,000 TOBDs) for healthcare associated infection cases: year-ending June 2023 (YE Q2 23) compared to year-ending June 2024 (YE Q2 24).	supplementary data (517 Kb)
Table 7: ECB cases and incidence rates (per 100,000 population) for community associated infection cases: Q1 2024 (January to March 2024) compared to Q2 2024 (April to June 2024).	supplementary data (517 Kb)
Table 8: ECB cases and incidence rates (per 100,000 population) for community associated infection cases: year-ending June 2023 (YE Q2 23) compared to year-ending June 2024 (YE Q2 24).	supplementary data (517 Kb)
Table 9: SAB cases and incidence rates (per 100,000 TOBDs) for healthcare associated infection cases: Q1 2024 (January to March 2024) compared to Q2 2024 (April to June 2024).	supplementary data (517 Kb)
Table 10: SAB cases and incidence rates (per 100,000 TOBDs) for healthcare associated infection cases: year-ending June 2023 (YE Q2 23) compared to year-ending June 2024 (YE Q2 24).	supplementary data (517 Kb)

Name	File and size
Table 11: SAB cases and incidence rates (per 100,000 population) for community associated infection cases: Q1 2024 (January to March 2024) compared to Q2 2024 (April to June 2024).	supplementary data (517 Kb)
Table 12: SAB cases and incidence rates (per 100,000 population) for community associated infection cases: year-ending June 2023 (YE Q1 23) compared to year-ending June 2024 (YE Q2 24).	supplementary data (517 Kb)

## Contact

**Shona Cairns**, Consultant Healthcare Scientist, ARHAI Scotland

Email: [NSS.ARHAIdatateam@nhs.scot](mailto:NSS.ARHAIdatateam@nhs.scot)

## Further Information

Further information can be found on the [ARHAI Scotland website](#).

The data from this publication is available to download [from our web page](#) along with background information and metadata.

For more information on types of infections included in this report, please see the [CDI](#), [ECB](#), [SAB](#) and [SSI](#) pages.

The next release of this publication will be January 2025.

## Rate this publication

Please [provide feedback](#) on this publication to help us improve our services.

## Appendices

### Appendix 1 – Background information

#### Revisions to the surveillance

Description of Revision	First report revision applied	Report section(s) revision applies to	Rational for revision
Addition of healthcare/ community case assignment.	October 2017	CDI/SAB	An increasing awareness of those infections occurring in community settings has warranted measurement of incidence rates by healthcare setting (healthcare settings vs. community settings) to enable interventions to be targeted to the relevant settings.
Use of standardised denominator data for CDI/ECB/SAB.	October 2017	CDI/SAB	<p>The 'total occupied bed days' data will be extracted from the ISD(S)1 data collection which contains aggregated information on acute and non-acute bed days including geriatric medicine and long-term stays in real-time.</p> <p>The standardisation of denominator data across the three surveillance programmes could result in slightly less accurate denominators due to inclusion of persons in the denominator who are at slightly lower risk of infection. However, in surveillance programmes developed for the purpose of preventing infection and driving quality improvement in care, consistency of the denominators over time tends to be more important than getting a very precise estimate of the population at risk, as the primary aim is to reduce infection to a lower incidence relative to what it was at the initial time of benchmarking.</p>



Description of Revision	First report revision applied	Report section(s) revision applies to	Rational for revision
Reporting of CDI cases aged 15 years and above only.	October 2017	CDI	Current Scottish Government Local Delivery Plan (LDP) Standards are based on the incidence rate in cases aged 15 years and above, therefore the report has been aligned to reflect this. ARHAI will continue to monitor CDI incidence rates in the separate age groups (15-64 years and 65 years and above) internally.
Reporting of total SAB cases only (i.e. Removal of MRSA sub-analysis).	October 2017	SAB	The count of MRSA bacteraemia cases are now too small to carry out statistical analysis. ARHAI Scotland will continue to monitor internally.
Name change for <i>Clostridium difficile</i> to <i>Clostridioides difficile</i> .	October 2018	CDI	A novel genus <i>Clostridioides</i> has been proposed for <i>Clostridium difficile</i> which will now be known as <i>Clostridioides difficile</i> . There are no implications with regards to the natural history of infection, infection prevention and control, or clinical treatment.
Addition of year end trends to ECB.	October 2018	ECB	This analysis (already included for other reported organisms) is now possible for ECB due the amount of data that has now been collected.
Change in production of quarterly SPC charts.	April 2020	All sections	Updated method used for calculating exceptions within the statistical process control (SPC) charts. The mean, Trigger/warning lines (+2 standard deviations) and upper control limits (+3 standard deviations) presented, are now calculated using the 12 quarters prior to the most recent quarter, as to compare the new rate against an existing baseline.
Changes to data collection in response to COVID-19.	July 2020	All sections	A CNO letter sent 25th March 2020 asked NHS boards to continue to report case numbers and origin of infection data but they would not be required to report risk factor data as would normally be expected under

Description of Revision	First report revision applied	Report section(s) revision applies to	Rational for revision
			<p>enhanced/extended surveillance for <i>Staphylococcus aureus</i> bacteraemia (SAB), <i>Escherichia coli</i> bacteraemia (ECB) and <i>Clostridioides difficile</i> infection (CDI).</p> <p>All mandatory and voluntary Surgical Site Infection (SSI) surveillance was paused until further notice.</p>
Change from Health Protection Scotland to ARHAI Scotland.	October 2020	All sections	<p>In April 2020, as part of launch of Public Health Scotland, the ARHAI Group within Health Protection Scotland (HPS) became ARHAI Scotland.</p> <p>ARHAI Scotland will continue to support NHS boards in the prevention and control of healthcare associated infections. The report was updated to reflect this branding change.</p>
Change from National Waiting Times Centre (NWTC) to NHS Golden Jubilee (GJ).	January 2021	All sections	Labelling updated.
Change to reporting of ribotypes.	October 2022	CDI	A description of <i>C. difficile</i> PCR ribotypes (RTs) had not been included in the reports published between October 2022 and July 2023, while the CDI typing service provided by the Scottish Microbiology Reference Laboratory (SMiRL) was being reviewed.
Recommencement of mandatory surveillance following COVID-19 response.	April 2023	All sections	As part of a return to pre-pandemic surveillance, for data collected from October 2022 onwards enhanced/extended surveillance for <i>Escherichia coli</i> bacteraemia (ECB) and <i>Staphylococcus aureus</i> bacteraemia (SAB) has

Description of Revision	First report revision applied	Report section(s) revision applies to	Rational for revision
			<p>been reinstated. Mandatory surveillance of enhanced fields including source of infection/entry point and risk factors as appropriate has resumed in line with the bacteraemia surveillance protocol. Previously, for data collected from 25 March 2020 onwards, only origin of infection was mandatory for ECB and SAB surveillance.</p> <p>Meanwhile all mandatory and voluntary Surgical Site Infection (SSI) surveillance will remain paused until further notice.</p>

## Report methods and caveats

Full details of the report methods and caveats can be found [here](#).

## UK comparisons

Improved collaboration with the other UK nations has made comparisons and standardisation across the UK a high priority for all four nations' governments/health departments. The changes introduced in the Scottish HAI surveillance, described here facilitate benchmarking of the Scottish data against those of the rest of the UK.

## Key to NHS boards

AA = NHS Ayrshire & Arran

BR = NHS Borders

DG = NHS Dumfries & Galloway

FV = NHS Forth Valley

FF = NHS Fife

GJ = NHS Golden Jubilee

GR = NHS Grampian

GGC = NHS Greater Glasgow & Clyde

HG = NHS Highland

LN = NHS Lanarkshire

LO = NHS Lothian

OR = NHS Orkney

SH = NHS Shetland

TY = NHS Tayside

WI = NHS Western Isles

## Appendix 2 – Publication Metadata

### Publication title

Quarterly epidemiological data on *Clostridioides difficile* infection, *Escherichia coli* bacteraemia, *Staphylococcus aureus* bacteraemia and Surgical Site Infection in Scotland.

### Description

This release provides information on *Clostridioides difficile* infection, *Escherichia coli* bacteraemia, *Staphylococcus aureus* bacteraemia and Surgical Site Infection in Scotland for the period April to June 2024.

### Theme

Infections in Scotland.

### Topic

*Clostridioides difficile* infection, *Escherichia coli* bacteraemia, *Staphylococcus aureus* bacteraemia and Surgical Site Infection.

### Format

MS Word reports and MS Excel workbooks.

### Data source(s)

#### ***Clostridioides difficile* infection:**

**Case data source:** Electronic Communication of Surveillance in Scotland (ECOSS).

**Data linkage source:** General / Acute Inpatient and Day Case Scottish Morbidity Records (SMR01).

**Healthcare associated denominator:** Total occupied bed days: Public Health Scotland ISD(S)1.

**Community associated denominator:** National Records of Scotland (NRS) mid-year population estimates.

***Escherichia coli* bacteraemia:**

**Case data source:** Electronic Communication of Surveillance in Scotland (ECOSS) Enhanced Surveillance Web Tool.

**Healthcare associated denominator:** Total occupied bed days: Public Health Scotland ISD(S)1.

**Community associated denominator:** NRS mid-year population estimates.

***Staphylococcus aureus* bacteraemia:**

**Case data source:** Electronic Communication of Surveillance in Scotland (ECOSS) Enhanced Surveillance Web Tool.

**Healthcare associated denominator:** Total occupied bed days: Public Health Scotland ISD(S)1.

**Community associated denominator:** NRS mid-year population estimates.

**Surgical Site Infection:**

**Case data source:** Surgical Site Infection Reporting System (SSIRS).

**Number of procedures denominator:** SSIRS.

**Date that data are acquired**

The date the data were extracted for analysis.

*Clostridioides difficile*: 18 July 2024.

*Escherichia coli* bacteraemia: 22 August 2024.

*Staphylococcus aureus* bacteraemia: 22 August 2024.

Surgical Site Infection: Epidemiological data for SSI are not included for this quarter. National

Mandatory SSI surveillance was paused in 2020 to support the COVID-19 response and has not yet resumed.

### **Release date**

01 October 2024.

### **Frequency**

Quarterly.

### **Timeframe of data and timeliness**

The latest iteration of data is 30 June 2024, therefore the data are three months in arrears.

### **Continuity of data**

Quarterly as at March, June, September, and December.

### **Revisions statement**

These data are not subject to planned major revisions. However, ARHAI aims to continually improve the interpretation of the data and therefore analysis methods are regularly reviewed and may be updated in the future.

### **Revisions relevant to this publication**

Updates to previously published figures.

### **National Records for Scotland (NRS) mid-year population estimates**

Updates to population estimates for 2014 (Q4) and 2015-2021 (Q1 – Q4), in line with publication of **rebased population estimates for mid-2011 to mid-2021** by National Records for Scotland (NRS).

### **Total Occupied Bed Days (TOBDs)**

Quarter	NHS board	Previous TOBDs	Updated TOBDs	Reason
2024 Q1	FF	91,031	91,157	Retrospective data amendment.

***Clostridioides difficile* infection (CDI)**

Quarter	NHS board	Previous Healthcare associated CDI cases	Updated Healthcare associated CDI cases	Previous Community associated CDI cases	Updated Community associated CDI cases	Reason
2024 Q1	GGC	56	57	20	19	Retrospective data amendment.

***Escherichia coli* bacteraemia (ECB)**

Quarter	NHS board	Previous Healthcare associated ECB cases	Updated Healthcare associated ECB cases	Previous Community associated ECB cases	Updated Community associated ECB cases	Reason
2024 Q1	GR	45	44	47	48	Retrospective data amendment.

***Staphylococcus aureus* bacteraemia (SAB)**

There were no retrospective amendments to the data.

**Surgical Site Infection (SSI)**

Epidemiological data for SSI are not included for this quarter. National mandatory SSI surveillance was paused in 2020 to support the COVID-19 response and has not yet resumed.

**Concepts and definitions**

Further information on the methods and caveats for can be found [here](#).

When a board is highlighted as an exception this will be looked at further as per the exception reporting process.

Further information on the production of quarterly exception reports (SOP) can be found [here](#).

***Clostridioides difficile* infection (CDI)**

*Clostridioides difficile* infection (CDI) is the most common cause of intestinal infections (and diarrhoea) associated with antimicrobial therapy. Clinical disease comprises a range of toxin mediated symptoms from mild diarrhoea, which can resolve without treatment, to severe cases



such as pseudomembranous colitis (PMC), toxic megacolon and peritonitis that can lead to death.

For mild disease, diarrhoea is usually the only symptom. Other clinical features consistent with more severe forms of CDI include fever, leukocytosis, pseudomembranous colitis and ileus.

Symptoms of CDI, and associated immune reactions in children differ from those in adults, but the pathology is not well described. Routine testing in children aged less than 3 years old is not recommended.

Approximately 3% of healthy adults and 20% of hospital patients carry *C. difficile* in their gut. The elderly living in care homes or staying in long-term care facilities are more likely to carry *C. difficile* than other adults. In studies from the US, 20% of care home residents and 50% of patients in long-term care facilities, respectively, were colonised with *C. difficile*.

The Scottish CDI guidance 'Guidance on Prevention and Control of CDI in Healthcare Settings in Scotland' and *C. difficile* testing protocol 'protocol for diagnosis of CDI' are key documents for the control and reduction of CDI in Scotland.

There remains scope for a reduction of incidence rates through continued local monitoring, appropriate prescribing, and compliance with infection prevention and control measures.

### ***Escherichia coli* bacteraemia (ECB)**

*Escherichia coli* (*E. coli*) is a bacterium commonly found in the gut of animals and people where it forms part of the normal gut flora that helps human digestion. Although most types of *E. coli* live harmlessly in your gut, some types can make you unwell. Some types of *E. coli* can cause urinary tract infections (UTI) and illnesses such as pneumonia.

*E. coli* continues to be the most frequent cause of Gram-negative bacteraemia in Scotland and is a frequent cause of infection worldwide.

New cases of ECB are identified by laboratory testing (via positive blood cultures) and submitted to the national system ECOSS. Only cases of ECB that have been reviewed and confirmed by the NHS boards in the enhanced surveillance system are included in the quarterly commentaries. Full details of the surveillance methods may be found in the [protocol](#).

### ***Staphylococcus aureus* bacteraemia (SAB)**

*Staphylococcus aureus* (*S. aureus*) is a Gram-positive bacterium which colonises the nasal cavity of about a quarter of the healthy population. This colonisation is usually harmless. However, infection can occur if *S. aureus* breaches the body's defence systems and can cause a range of illnesses from minor skin infections to serious systemic infections such as bacteraemia. Some strains of *S. aureus* produce toxins or show resistance to first line treatments therefore can be more complicated to treat.

Scotland has had a mandatory meticillin resistant *S. aureus* (MRSA) bacteraemia surveillance programme since 2001. The programme was extended to include meticillin sensitive *S. aureus* (MSSA) bacteraemia in 2006 and in 2014 to include enhanced *S. aureus* bacteraemia (SAB) surveillance. Full details of the surveillance methods may be found in the [protocol](#).

### **Surgical Site Infection (SSI)**

A surgical site infection (SSI) is an infection that occurs after surgery in the part of the body where the surgery took place. SSI may be superficial infections involving the skin only, while other SSI is more serious and can involve tissues under the skin, organs, or implanted material.

SSI is one of the most common types of healthcare associated infection in Scotland, estimated to account for 16.5% of inpatient healthcare associated infection within NHSScotland, according to Scottish Point Prevalence Survey 2016. Prior to the COVID-19 pandemic, NHS boards participated in SSI surveillance for procedures including caesarean section, hip arthroplasty, large bowel, and vascular procedures. National mandatory SSI surveillance was paused in 2020 to support the COVID-19 response and has not yet resumed.

### **Relevance and key uses of the statistics**

#### ***Clostridioides difficile* infection (CDI)**

Surveillance data is essential for monitoring trends and assisting in outbreak investigations. Certain strains of *C. difficile* have been associated with more severe disease (e.g. PCR types 027 and 078) and antibiotic resistance has been suggested to be a factor in the emergence

and spread of *C. difficile* epidemic types. In addition, the identification of ribotypes and whole genome sequencing can assist in the investigation of outbreaks.

The surveillance data should inform and support NHS boards in implementing antimicrobial prescribing policies, infection control and prevention interventions.

### ***Escherichia coli* bacteraemia (ECB)**

The outputs of the surveillance programme are intended to support the NHS boards in controlling and reducing the burden of ECB. Benchmarking against other NHS boards (and other countries) is an important function of the surveillance. In conjunction with other sources of intelligence (including enhanced surveillance data) the outputs of the quarterly surveillance can also help the NHS boards with planning and targeting activities to reduce risk to patient of becoming infected and improve the care of patients (i.e. strategic planning, targeted intervention, care quality improvement).

As urinary tract infections are commonly associated with *E. coli* bacteraemia cases, ARHAI Scotland coordinates the sharing of urinary tract infection (UTI) reduction resources. These include the National Hydration Campaign which aims to convey the public health benefits of good hydration in terms of UTI prevention, and the National Catheter Passport which gives information on how to care for urinary catheters at home as well as a clinical section for a nurse, doctor, or carer. Work is also being done on improving antimicrobial treatment of people with infections – co-ordinated by the Scottish Antimicrobial Prescribing Group (SAPG) through a network of antimicrobial management teams.

### ***Staphylococcus aureus* bacteraemia (SAB)**

ARHAI continues to offer support to NHS boards across Scotland to aid their local SAB reduction strategies. A programme of enhanced SAB surveillance commenced in all NHS boards in Scotland on 1 October 2014. This is providing further intelligence to focus future reduction interventions.

### **Surgical Site Infection (SSI)**

SSIs are estimated to double the length of post-operative stay in hospital and significantly increase the cost of care. The national SSIS programme is intended to enhance the quality of

patient care with use of data obtained from surveillance to compare incidence of SSI over time and against a benchmark rate and to use this information locally to review and guide clinical practice. National mandatory SSI surveillance was paused in 2020 to support the COVID-19 response and has not yet resumed.

### **Accuracy**

CDI, ECB and SAB data are the product of the Electronic Communication of Surveillance in Scotland (ECOSS). Participating laboratories routinely report all identifications of organisms, infection, or microbiological intoxication unless they are known to be of no clinical or public health importance. The collected data is used for: the identification of single cases of severe disease, outbreaks, and longer term trends in the incidence of laboratory reported infections, enhanced surveillance, health protection, analytical and statistical use.

Delays in SMR01 data availability at the time of report production means that the origin of infection for some CDI cases may be reassigned at a later date. Therefore, healthcare-associated and community-associated CDI cases in this report are provisional and may change as more data becomes available.

The enhanced ECB and SAB ECOSS web tool has built-in validation rules that must be met before the data are submitted. Further checks of the data are made by ARHAI before the data are analysed. CDI validation of collected data entails sending a list of CDI cases extracted from ECOSS and asking for confirmation that the cases represent true CDI cases, i.e., meet the case definition which is defined in the surveillance protocol sent to all the NHS boards and available on the [website](#). The final list of CDI cases is then agreed before publishing.

SSI data is reported via the Surgical Site Infection Reporting System (SSIRS). Complying with a national minimum dataset and definitions for Surgical Site Infections, enables the data submitted to ARHAI Scotland to be mapped into the national dataset following a rigorous quality assurance process.

SSIRS has built-in validation rules and data cannot be submitted until rules are met. SSIRS primary validation checks for incomplete or conflicting information entered in core data fields. Secondary validation includes data checks that can be accepted without completion and/or values that are outside the stated requirements.

### **Completeness**

#### **TOBD:**

The total occupied bed days for April 2024 in NHS Forth Valley were not available at the time of publication, therefore the TOBDs for April 2023 were used as a proxy to complete the 2024 Q2 total occupied bed days for the calculation of incidence rates.

#### **ECB/SAB:**

Surveillance data are collected using an ECOSS Surveillance Web Tool that allows data collectors in NHS boards to validate ECOSS records as well as additional cases that may not be included in the ECOSS system. This therefore means that completeness is near to 100%. Only cases validated in the enhanced surveillance are included in this publication.

#### **CDI:**

Diagnosis of CDI is confirmed in a patient who is both symptomatic with diarrhoea and whose stool has tested positive for *C. difficile* toxin using a two-step diagnostic algorithm. Laboratory reports of toxin positive samples are then sent to ECOSS for data extraction. In the community, patients with CDI may have a mild illness that does not require a GP visit, or the symptoms may not be recognised by a GP for a *C. difficile* test request. In hospitals, the chance of a diarrhoea sample not being tested for *C. difficile* is much lower, and patients who have ileus (i.e., CDI but with no diarrhoea) might be missed; however, as a result of national published guidance on managing CDI patients, this is not likely. ARHAI carries out validation with the NHS boards to check that no CDI cases have been missed from ECOSS each quarter. As with most surveillance programmes, completeness will not be 100% but mandatory surveillance methodology ensures this is as near to 100% as practically possible. When categorising by healthcare or community, not all cases may be successfully data linked in any one quarter. Therefore, the sum total of the healthcare and community CDI cases may not equal the total number of CDI cases reported to ARHAI.

**CDI Ribotyping:** The snapshot programme aims to obtain a representative sample of isolates from CDI cases across all NHS boards in Scotland. However, not all NHS boards have submitted the number of isolates specified by the protocol for the reporting quarter and therefore the data should be interpreted with caution.

The clinical typing scheme aims to provide data from severe CDI cases and/or suspected outbreaks. These data are based on the specimens and information received by the reference laboratory and are not validated by individual NHS boards for completeness; therefore the data should be interpreted with caution.

### **SSI:**

National mandatory SSI surveillance was paused in 2020 to support the COVID-19 response and has not yet resumed.

### **Comparability**

#### **CDI / ECB / SAB:**

UK Health Security Agency (UKHSA) report rates per quarter for CDI, ECB and SAB (methods and definitions may differ).

**Clostridioides difficile: guidance, data and analysis**

**Escherichia coli (E. coli): guidance, data and analysis**

**Staphylococcus aureus: guidance, data and analysis**

### **SSI:**

Annual data are reported by UKHSA.

**Surgical site infection (SSI): guidance, data and analysis**

### **Accessibility**

It is the policy of ARHAI to make its web sites and products accessible according to **published guidelines**.

### **Coherence and clarity**

Tables and charts are accessible via the **supplementary data** file on the ARHAI Scotland website.

### **Value type and unit of measurement**

Healthcare associated cases and incidence rates (per 100,000 Total occupied bed days (TOBDs)) for *Clostridioides difficile* infection, *Escherichia coli* bacteraemia & *Staphylococcus aureus* bacteraemia.

Community associated cases and incidence rates (per 100,000 population) for *Clostridioides difficile* infection, *Escherichia coli* bacteraemia & *Staphylococcus aureus* bacteraemia.

Quarterly rates of community associated infections are calculated pro-rata for the number of days in the quarter, so that quarterly and yearly incidence rates are comparable.

Number of procedures and Surgical Site Infections and incidence per categories (per 100 procedures) for inpatients and post discharge surveillance.

Further information on the methods and caveats for can be found [here](#).

### **Disclosure**

The PHS protocol on [Statistical Disclosure Protocol](#) is followed:

### **Official Statistics accreditation**

Official Statistics.

### **UK Statistics Authority Assessment**

Not Assessed.

### **Last published**

02 July 2024.

### **Next published**

January 2025.

### **Date of first publication**

07 April 2015. Prior to this *Clostridioides difficile* infection (first publication - 2 Apr 2008) and *Staphylococcus aureus* bacteraemia (first publication - 3 Apr 2002) were separate reports.

### **Help email**

**[NSS.ARHAIdatateam@nhs.scot](mailto:NSS.ARHAIdatateam@nhs.scot)**

### **Date form completed**

01 October 2024.



## Appendix 3 – Early access details

### **Pre-Release Access**

Under terms of the "Pre-Release Access to Official Statistics (Scotland) Order 2008", ARHAI is obliged to publish information on those receiving Pre-Release Access ("Pre-Release Access" refers to statistics in their final form prior to publication). The standard maximum Pre-Release Access is five working days. Shown below are details of those receiving standard Pre-Release Access.

### **Standard Pre-Release Access:**

- Scottish Government Health Department
- NHS board Chief Executives
- NHS board Communication leads

# Appendix 4 – ARHAI Scotland and Official Statistics

## About ARHAI Scotland

ARHAI Scotland works at the very heart of the health service across Scotland, delivering services critical to frontline patient care and supporting the efficient and effective operation of NHS Scotland.

## Official Statistics

Our statistics comply with the **Code of Practice for Statistics** in terms of trustworthiness, high quality and public value. This also means that we keep data secure at all stages, through collection, processing, analysis and output production, and adhere to the **‘five safes’**.